Quilt 2 END ALZ

2022 Block of the Month Pattern

FLEETING

BLOCK 10: OCTOBER



Finished Block: 12" x 12"
Unfinished Blocks: 12½" x 12½"
Use a scant ¼" seam allowance throughout.

MATERIALS

- Fabrics A, B, C, D, and E
- Standard Sewing Supplies

CUTTING INSTRUCTIONS

Fabric A: (2) 6½" x 2½" rectangles
(2) 2½" x 2½" squares

Fabric B: (2) 4½" x 2½" rectangles
(1) 2½" x 2½" square

Fabric C: (3) 2½" x 2½" squares

Fabric D: (1) 4½" x 4½" square
(5) 4½" x 2½" rectangles
(1) 2½" x 2½" square

Fabric E: (5) 2½" x 2½" squares

CREATE QUADRANTS



Quadrant 2 and 3:

1. Sew (1) 2½" x 4½" Fabric D rectangle to (1) 2½" x 4½" Fabric B rectangle. Press toward Fabric B.
2. Sew another 4½" x 2½" Fabric D rectangle to the other side of the BD unit. Press toward Fabric B.
3. Repeat steps 1 and 2 to make a second DBD unit, creating quadrants 2 and 3.



Quadrant 4:



1. Using (2) 2½" Fabric C squares and (1) 2½" Fabric E square, sew a CEC unit to create a 6½" x 2½" rectangle. Press toward the Fabric C squares.
2. Using (1) 2½" Fabric E square, (1) 2½" Fabric B square, and (1) 2½" Fabric D square, sew an EBD unit to create a 6½" x 2½" rectangle. Press toward Fabric B.
3. Using (1) 2½" Fabric C square and (1) 4½" x 2½" Fabric D rectangle, sew a CD unit to create a 6½" x 2½" rectangle. Press toward Fabric C.
4. Sew the three rectangles together to create a 6½" x 6½" square.

SEW QUADRANTS TOGETHER

1. Layout four quadrants as shown.
2. Sew together to create the "window" unit.



CREATE LOGS

1. Sew together (1) 6½" x 2½" Fabric A rectangle, (1) 2½" Fabric E square, and (1) 2½" Fabric A square as shown.
2. Press each seam toward Fabric A.



3. Sew together (1) 2½" Fabric A square, (2) 2½" Fabric E squares, and (1) 6½" x 2½" Fabric A rectangle as shown.
4. Press each seam toward Fabric A.

COMPLETE BLOCK

1. Sew Log 1 to the top of the "window" unit.
2. Sew Log 2 to the left side of the "window" unit.



Share your finished block with us in the Quilting to Mend the Mind Facebook group!

BLOCK COLORING PAGE

<table>
<tr><td>E</td><td colspan="2">A</td><td>E</td><td>A</td></tr>
<tr><td rowspan="2">A</td><td>D</td><td>D</td><td>B</td><td>D</td></tr>
<tr><td>D</td><td>C</td><td>E</td><td>C</td></tr>
<tr><td>E</td><td>B</td><td>E</td><td>B</td><td>D</td></tr>
<tr><td>A</td><td>D</td><td>C</td><td colspan="2">D</td></tr>
</table>