Quilt
2 END ALZ

2024 Block of the Month Pattern

CHARMWOOD

Finished Quilt Size: 58" x 68"

QUILT KIT

FABRIC REQUIREMENTS

Fabric A		Fabric A1 (Free Spirit Sunlit)	1¾ yd
		Fabric A2 (Ready to Roll)	⅜ yd
		Fabric A3 (Rhythmic Expression)	¼ yd
Fabric B		Fabric B1 (Bloom Block)	¼ yd
		Fabric B2 (Sun Bound)	¼ yd
Fabric C		(Marmalade)	¼ yd
Fabric D		Fabric D1 (Choose Happy Tangerine)	¼ yd
		Fabric D2 (Tigerlily)	¼ yd
Fabric E		Fabric E1 (Shifting Vibes)	½ yd
		Fabric E2 (Appletini)	¼ yd
Fabric F		Fabric F1 (Stay Groovy Sunshine)	¼ yd
		Fabric F2(Growing Paths)	⅜ yd
Fabric G		(Flowering Waves)	¾ yd
Binding ⅝ yd		Backing 3¾ yds	

NOTE

- Please read through all instructions before you begin
- WOF = Width of Fabric, assumed to be at least 42" usable width
- RST = Right Sides Together
- Seam allowance is ¼" unless otherwise noted
- HST = half-square triangle
- QST = quarter-square triangle
- HRT = half-rectangle triangle

These instructions will cut all of the pieces needed for the entire quilt. The pieces needed for each month's block are listed in each block assembly section.

CUTTING INSTRUCTIONS

Fabric A1

- (1) 5½" x WOF strip. Subcut:
  - (2) 5½" squares
  - (1) 5" x 10" rectangle
  - (4) 5" squares
- (2) 5" x WOF strips. Subcut:
  - (4) 5" x 10" rectangles
  - (4) 5" squares
  - (3) 4½" squares
  - (2) 2½" x 4½" rectangles
- (1) 4½" x WOF strip. Subcut:
  - (5) 4½" squares
  - (8) 3" squares
- (1) 2½" x WOF strip. Subcut:
  - (1) 2½" x 20" strip
  - (5) 2½" squares
- (2) 1½" x WOF strips. Subcut:
  - (2) 1½" x 30" strips
- (3) 2½" x WOF strips. Subcut:
  - (6) 2½" x 20½" block sashing pieces
- (9) 2½" x WOF strips for row sashing and borders

Fabric A2

- (1) 5" x WOF strip. Subcut:
  - (4) 5" squares
  - (1) 4½" square
  - (1) 4½" x 12½" rectangle
- (1) 4½" x WOF strip. Subcut:
  - (5) 4½" squares

Fabric A3

- (1) 4½" x WOF strip. Subcut:
  - (4) 4½" squares
  - (4) 2½" x 4½" rectangles
  - (5) 2½" squares

Fabric B1

- (1) 4½" x WOF strip. Subcut:
  - (2) 4½" x 9" rectangles
  - (2) 3" squares
  - (6) 2½" squares
- (1) 2½" x WOF strip. Subcut:
  - (1) 2½" x 10½" rectangle
  - (1) 2½" x 5" rectangle

Fabric B2

- (2) 5¼" x WOF strips. Subcut:
  - (1) 5¼" square
  - (1) 5" x 10" rectangle
  - (1) 4½" x 9" rectangle
  - (4) 4½" squares
  - (4) 2½" squares

Fabric C

- (1) 5½" x WOF strip. Subcut:
  - (1) 5½" square
  - (1) 5¼" square
  - (5) 4½" squares
- (1) 3" x WOF strip. Subcut:
  - (4) 3" squares
  - (4) 2½" x 4½" rectangles
  - (1) 2½" x 5" rectangle

Fabric D1

- (1) 5¼" x WOF strip. Subcut:
  - (1) 5¼" square
  - (1) 5" x 10" rectangle
  - (5) 4½" squares
- (1) 4½" x WOF strip. Subcut:
  - (1) 4½" square
  - (4) 3" squares
  - (3) 2½" squares

Fabric D2

- (1) 5¼" x WOF strip. Subcut:
  - (1) 5¼" square
  - (4) 5" squares
- (1) 4½" x WOF strip. Subcut:
  - (4) 4½" squares
  - (4) 3" squares
  - (4) 2½" x 4½" rectangles
- (1) 2½" x WOF strip. Subcut:
  - (7) 2½" squares

CUTTING INSTRUCTIONS

Fabric E1

- (1) 5" x WOF strip. Subcut:
  - (1) 5" x 10" rectangle
  - (4) 5" squares
  - (2) 4½" x 2½" rectangles
  - (2) 2½" squares
- (2) 4½" x WOF strips. Subcut:
  - (1) 4½" x 20" strip
  - (5) 4½" squares
  - (1) 2½" x 20" strip

Fabric E2

- (1) 4½" x WOF strip. Subcut:
  - (4) 4½" squares
  - (2) 2½" x 4½" rectangles,
  - (6) 2½" squares
- (1) 2½" x WOF strip. Subcut:
  - (2) 2½" x 6½" rectangles
  - (1) 1½" x 30" strip

Fabric F1

- (1) 5½" x WOF strip. Subcut:
  - (1) 5½" square
  - (2) 2½" x 6½" rectangles
  - (6) 2½" squares

Fabric F2

- (1) 9" x WOF strip. Subcut:
  - (2) 9" x 8½" rectangles
  - (2) 9" x 4½" rectangles
  - (1) 5" x 10" rectangle
- (1) 4½" x WOF strip. Subcut:
  - (2) 4½" x 9" rectangles
  - (5) 4½" squares
  - (3) 2½" squares

Fabric G

- (1) 5" x WOF strip. Subcut:
  - (1) 5" x 10" rectangle
  - (1) 4½" x 20" strip
  - (2) 4½" squares
- (3) 4½" x WOF strips. Subcut:
  - (8) 4½" x 8½" rectangles
  - (4) 4½" squares
  - (2) 3" squares
  - (10) 2½" squares
- (1) 1½" x WOF strip. Subcut:
  - (1) 1½" x 30" strip

Binding

- (7) 2½" x WOF strips

TECHNIQUES

These instructions illustrate the process that is used for all HST and Flying Geese units. Refer to each block instruction set for specific starting square sizes and trimming sizes.



2-At-A-Time HSTs

1. Gather 2 squares, one in each fabric.
2. Draw a diagonal line from corner to corner on the wrong side of one square.
3. Place squares RST.
4. Sew ¼" on either side of the drawn line.
5. Cut along the drawn line to create 2 identical HST units.
6. Press seams open or toward the darker fabric as desired.
7. Trim HSTs to specified size.



4-At-A-Time Flying Geese

1. Gather 1 large square and 4 small squares.
2. Draw a line from corner to corner on the wrong side of all small squares.
3. Align 2 small squares RST on opposite corners of the large square. The small squares will overlap slightly in the middle.
4. Sew ¼" on either side of the drawn line.
5. Cut along the drawn line to create two heart-shaped units. Press seams toward the small triangles.
6. Place another small square RST with the bottom corner of each heart unit. *Note: Pay attention to the orientation of the drawn line.*
7. Sew ¼" on either side of the drawn line on both units.
8. Cut along the drawn lines to create four flying geese units. Press seams toward the small triangles.
9. Trim Flying Geese units to specified size. *Note: When trimming, be sure to leave ¼" seam allowance between the point of the center triangle and the edge of the block.*