2026 Block of the Month Pattern

STARDUST

Finished Quilt Size: 60" x 84"

REQUIRED MATERIALS

- Tri Recs Triangle Rulers by EZ Quilting *(available on our website included with Starburst fabric kit or from online retailers)*
- Standard sewing supplies

FABRIC REQUIREMENTS

Fabric A	3 yds
Fabric B	⅜ yd
Fabric C	⅝ yd
Fabric D	½ yd
Fabric E	⅝ yd
Fabric F	⅜ yd
Fabric G	¼ yd
Fabric H	⅝ yd
Fabric I	⅜ yd
Fabric J	⅝ yd
Backing	5¼ yds
Binding	⅝ yd

Add your fabric swatches here!

A B C D E F G H I J

NOTE

- Please read through all instructions before you begin
- WOF = Width of Fabric, assumed to be at least 42" usable width
- RST = Right Sides Together
- Seam allowance is ¼" unless otherwise noted
- HST = half-square triangle
- QST = quarter-square triangle
- HRT = half-rectangle triangle

These instructions will cut all of the pieces needed for the entire quilt. The pieces needed for each month's block are listed in each block assembly section.

CUTTING INSTRUCTIONS

Fabric A	• (2) 6½" x WOF strips. Subcut: › (12) 6½" squares • (1) 5" x WOF strip. Subcut: › (1) 5" x 8½" rectangle › (1) 4" x 9½" rectangle › (1) 4" x 6½" rectangle › (3) 4" x 2" rectangles • (3) 4" x WOF strips. Subcut: › (26) 4" squares › (2) 3⅞" squares • (4) 3½" x WOF strips. Subcut: › (1) 3½" x 29" strip › (1) 3½" x 8½" rectangle › (16) 3½" x 6½" rectangles • (4) 3½" x WOF strips. Subcut: › (45) 3½" squares • (1) 3½" x WOF strip. Subcut: › (16) 3½" triangles using Tri Recs Ruler • (9) 3½" x WOF strips. *Set aside for borders.* • (1) 2⅝" x WOF strip. Subcut: › (1) 2⅝" square › (4) 2½" squares • (6) 2" x WOF strips. Subcut: › (2) 2" x 27" strips › (1) 2" x 13" strip › (9) 2" x 8½" rectangles › (2) 2" x 5" rectangles › (4) 2" x 3½" rectangles › (23) 2" squares
Fabric B	• (1) 4" x WOF strip. Subcut: › (8) 4" squares • (1) 3½" x WOF strip. Subcut: › (2) 3½" x 6½" rectangles › (1) 2⅝" square › (1) 2½" square › (1) 2" x 8½" rectangle › (1) 2" x 3½" rectangle › (4) 2" squares • (1) 2" x WOF strip. Subcut: › (2) 2" x 15" strips

CUTTING INSTRUCTIONS CONT.

Fabric C	• (1) 4¾" x WOF strip. Subcut: › (1) 4¾" square › (1) 4" x 6½" rectangle › (2) 3½" x 6½" rectangles › (4) 3½" squares • (1) 4" x WOF strip. Subcut: › (8) 4" squares • (1) 3½" x WOF strip. Subcut: › (1) 3½" x 27" strip › (4) 3½" squares • (1) 2⅝" x WOF strip. Subcut: › (2) 2" x 8½" rectangles • (1) 2" x WOF strip. Subcut: › (2) 2" x 15" strips
Fabric D	• (1) 6½" x WOF strip. Subcut: › (1) 6½" square › (1) 4" x 6½" rectangle › (2) 4" x 6" rectangles › (1) 4" x 2" rectangle › (5) 4" squares • (1) 3½" x WOF strip. Subcut: › (8) 3½" squares › (1) 2⅝" square › (1) 2½" square • (2) 2" x WOF strips. Subcut: › (1) 2" x 13" strip › (2) 2" x 8½" rectangles › (1) 2" x 3½" rectangle › (9) 2" squares › (16) 1¼" squares
Fabric E	• (5) 3½" x WOF strips. *Set aside for borders.* • (1) 2" x WOF strip. Subcut: › (2) 2" x 4" rectangles › (1) 2" x 8½" rectangle
Fabric F	• (1) 6½" x WOF strip. Subcut: › (1) 6½" square › (7) 4" squares › (1) 2⅝" square • (2) 2" x WOF strips. Subcut: › (1) 2" x 27" strip › (2) 2" x 8½" rectangles

CUTTING INSTRUCTIONS CONT.

Fabric G	• (1) 6½" x WOF strip. Subcut: › (1) 6½" square › (1) 4¾" square › (1) 4" x 6½" rectangle › (2) 4" x 6" rectangles › (2) 4" squares › (1) 2½" square • (1) 2" x WOF strip. Subcut: › (1) 2" x 3½" rectangle › (5) 2" squares
Fabric H	• (1) 6½" x WOF strip. Subcut: › (1) 6½" x 15" rectangle › (2) 4" squares › (7) 4" x 2" rectangles › (1) 2½" square • (3) 3½" x WOF strips. Subcut: › (1) 3½" x 15" strip › (8) 3½" x 6½" rectangles › (8) 3½" squares • (2) 2" x WOF strips. Subcut: › (1) 2" x 27" strip › (6) 2" x 3½" rectangles › (9) 2" squares
Fabric I	• (1) 4" x WOF strip. Subcut: › (1) 4" x 6½" rectangle › (1) 4" x 2" rectangle › (1) 3½" x 29" strip • (1) 3½" x WOF strip. Subcut: › (4) 3½" squares › (1) 2⅝" square › (2) 2⅜" squares • (1) 2" x WOF strip. Subcut: › (1) 2" x 8½" rectangle › (2) 2" x 5" rectangles › (8) 2" squares
Fabric J	• (1) 4" x WOF strip. Subcut: › (2) 4" squares › (2) 3⅞" squares › (8) 2⅜" squares • (3) 3½" x WOF strips. Subcut: › (8) 3½" squares › (16) left-side triangles using Tri Recs Ruler › (16) right-side triangles using Tri Recs Ruler • (2) 2" x WOF strips. Subcut: › (2) 2" x 27" strips › (1) 2" x 8½" rectangle
Binding	• (8) 2½" x WOF strips

TECHNIQUES

These instructions illustrate the process that is used for all HST and Flying Geese units. Refer to each block instruction set for specific starting square sizes and trimming sizes.



2-At-A-Time HSTs

1. Gather 2 squares, one in each fabric.
2. Draw a diagonal line from corner to corner on the wrong side of one square.
3. Place squares RST.
4. Sew ¼" on either side of the drawn line.
5. Cut along the drawn line to create 2 identical HST units.
6. Press seams open or toward the darker fabric as desired.
7. Trim HSTs to specified size.



Flying Geese

1. Gather 1 rectangle and 2 squares.
2. Draw a line from corner to corner on the wrong side of both squares.
3. Place 1 square RST on the left side of the rectangle as shown.
4. Sew on the drawn line. Trim the excess, leaving a ¼" seam allowance. Press toward the outside.
5. Repeat steps 3-4, this time placing the square on the right side of the rectangle. *Note: Pay attention to the orientation of the drawn line.*
6. If needed, trim block. *Note: When trimming, be sure to leave ¼" seam allowance between the point of the center triangle and the edge of the block.*